

COX™ Dispensing Solutions

1-Component Dispensers




Dispensing Expertise



1-Component Dispensers

COX™ System Overview



The tradition, quality, reliability and performance of the COX™ Dispensers originally manufactured and supplied by PC COX since 1958 continues into the future as part of the Sulzer Mixpac product portfolio.

Offering a range of excellent standard products, as well as a constant product development and surveillance of the market, Sulzer Mixpac is able to meet any of your various requirements. In close co-operation with manufacturers of sealants/adhesives and professional end users, we meet even very specific and stringent requirements. Adaptation and flexibility are key words for our product development. As a manufacturer, Sulzer Mixpac offers high reliability on deliveries and customized labelling of our products. With these performances we have been appointed A-supplier with Europe's leading distributors of dispensing tools.

The renowned COX dispensers will be available through Sulzer Mixpac AG and its affiliates while Sulzer Mixpac AG has entrusted Sulzer Mixpac (UK) Ltd. to continue with the manufacture of the dispensers at the PC COX site in Hungerford, UK.

Originally established in 1958 by Patrick Clement Cox, Sulzer Mixpac (UK) has become the global market leader in the design and production of manual, pneumatic and battery hand held sealant and adhesive applicators. Our success story and growth started with our first product, still manufactured due to its popularity and reliability but now known as the EasiFlow HD. Subsequent later models, with a new mechanism incorporating a smooth rod with clutch and release plate, became the worldwide industry standard. The PC COX product range, which includes cartridge, sachet, bulk, one and two-component dispensers, were originally manufactured at our factory in the UK and will be continued to guarantee professional quality. On July 1st 2016 our name changed from PC Cox Ltd to Sulzer Mixpac (UK) Ltd. To ensure retention of our strong brand and market position, Sulzer Mixpac (UK) Ltd continues to market our products under the well-known and widely-recognized COX brand: Sulzer Mixpac (UK) Ltd., 1 Tealgate, Charnham Park, Hungerford RG17 0YT, UK. Email: coxsales@sulzer.com, Phone: +44 (0)1488 647 800.



COX™ 1-Component Dispensers



Product Ranges

Professional dispensing for all your application requirements.

	Name/Description	Cartridge / Sachet / Bulk	Cartridge / Sachet / Bulk / Capacity	Maximum Thrust	Mechanical Advantage Ratio	Material Viscosity	Pages
Manual Dispensers							
	EasiFlow™ HD Lite	cartridge	310mL (10.5oz)	1.2kN	7:1	low	8-9
	EasiFlow™ HD	cartridge	310mL (10.5oz) 400mL (13.5oz)	1.2kN	7:1	low	10-11
	MidiFlow™ Cartridge	cartridge	310mL (10.5oz) 400mL (13.5oz)	1.5kN	10:1	low	12-13
	MidiFlow™ Combi	cartridge/ sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	1.5kN	10:1	low	14-15
	PowerFlow™ Cartridge	cartridge	310mL (10.5oz) 400mL (13.5oz)	2.5kN	12:1	low/ medium	16-17
	PowerFlow™ Cartridge	cartridge	1000mL (33.8oz)	2.5kN	12:1	low/ medium	18-19
	PowerFlow™ Quart Cartridge	cartridge	946mL (32.0oz)	2.5kN	12:1	low/ medium	20-21
	PowerFlow™ Combi	cartridge/ sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	2.5kN	12:1	low/ medium	22-23
	PowerFlow™ Bulk Combi	cartridge/ sachet/ bulk/	400mL (13.5oz) 600mL (20.3oz) 1000mL (35.2oz)	2.5kN	12:1	low/ medium	24-25
	PowerFlow™ Bulk	bulk	2000mL (67.6oz) 4000mL (135.3oz)	2.5kN	12:1	low/ medium	26-27
	PowerFlow™ HP Cartridge	cartridge	310mL (10.5oz) 400mL (13.5oz)	3.5kN	18:1	low/high	28-29
	PowerFlow™ HP Combi	cartridge/ sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	3.5kN	18:1	low/high	30-31
	PowerFlow™ HP Quart Cartridge	cartridge	946mL (32.0oz)	3.5kN	18:1	low/high	32-33

COX™ 1-Component Dispensers

Product Ranges

Professional dispensing for all your application requirements.

	Name/Description	Cartridge / Sachet / Bulk	Cartridge / Sachet / Bulk / Capacity	Maximum Thrust	Mechanical Advantage Ratio	Material Viscosity	Pages
	UltraFlow™ Cartridge	cartridge	310mL (10.5oz)	4.5kN	25:1	medium/high	34-35
	UltraFlow™ Combi	cartridge/sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	4.5kN	25:1	medium/high	36-37
	UltraFlow™ Bulk	bulk	600mL (20.3oz) 1000mL (33.8oz)	4.5kN	25:1	medium/high	38-39
	UltraPoint™	bulk	800mL (35.2oz)	2.5kN	12:1	low/medium	40-41
Battery Dispensers					Voltage		
	EasiPower™ Plus Cartridge	cartridge	310mL (10.5oz) 400mL (13.5oz)	2.5kN	10.8V	low/medium	42-43
	EasiPower™ Plus Combi	cartridge/sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	2.5kN	10.8V	low/medium	44-45
	ElectraFlow™ Plus Cartridge	cartridge	310mL (10.5oz)	3.5kN	18V	medium/high	46-47
	ElectraFlow™ Plus Combi	cartridge/sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	3.5kN	18V	medium/high	48-49
	ElectraFlow™ Plus Quart	cartridge	946mL (32.0oz)	3.5kN	18V	medium/high	50-51
	ElectraFlow™ Plus FloorFix	sachet	1800mL (60.9oz)	3.5kN	18V	low/medium	52-53

COX™ 1-Component Dispensers

Product Ranges

Professional dispensing for all your application requirements.

	Name/Description	Cartridge / Sachet / Bulk	Cartridge / Sachet / Bulk / Capacity	Maximum Thrust	Pneumatic Pressure	Material Viscosity	Pages
Pneumatic Dispensers							
	AirFlow™ 1 Cartridge	cartridge	310mL (10.5oz)	1.3kN	6.8bar (others available)	low	54-55
	AirFlow™ 1 Sachet	sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	1.45kN	6.8bar (others available)	low	56-57
	AirFlow™ 1 Combi	cartridge/ sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	1.45kN	6.8bar (others available)	low	58-59
	AirFlow™ 1 Bulk	bulk	2000mL (67.62oz) 3000mL (101.4oz) 4000mL (135.3oz)	3.4kN	6.8bar (others available)	low/ medium	60-61
	AirFlow™ 1 HP Combi	cartridge/ sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	2.2kN	6.8bar (others available)	high	62-63
	AirFlow™ 2 Cartridge	cartridge	310mL (10.5oz) 400mL (13.5oz)	1.2kN	6.8bar (others available)	low	64-65
	AirFlow™ 2 Sachet	sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	1.45kN	6.8bar (others available)	low	66-67
	AirFlow™ 2 Combi	cartridge/ sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	1.45kN	6.8bar (others available)	low	68-69
	AirFlow™ 3 Cartridge	cartridge	310mL (10.5oz) 400mL (13.5oz)	1.5kN	6.8bar (others available)	low/ medium	70-71
	AirFlow™ 3 Quart Cartridge	cartridge	946mL (32.0oz)	1.5kN	6.8bar (others available)	low/ medium	72-73
	AirFlow™ 3 Sachet	sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	1.5kN	6.8bar (others available)	low/ medium	74-75
	AirFlow™ 3 Compact Combi	cartridge/ sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	1.5kN	6.8bar (others available)	low/ medium	76-77

COX™ 1-Component Dispensers

Product Ranges

Professional dispensing for all your application requirements.


	Name/Description	Cartridge / Sachet / Bulk	Cartridge / Sachet / Bulk / Capacity	Maximum Thrust	Pneumatic Pressure	Material Viscosity	Pages
	AirFlow™ 3 Bulk	bulk	1300mL (44oz)	2.1kN	6.8bar (others available)	low/ medium	78-79
	AirFlow™ 3 HP Combi	cartridge/ sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	2.5kN	6.8bar (others available)	medium/ high	80-81
	JetFlow™ 3 Cartridge	cartridge	310mL (10.5oz)	1.45kN	6.8bar (others available)	low/ medium	82-83
	JetFlow™ 3 Sachet	sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	1.45kN	6.8bar (others available)	low/ medium	84-85
	JetFlow™ 3 Compact Combi	cartridge/ sachet	310mL (10.5oz) 400mL (13.5oz) 600mL (20.3oz)	1.45kN	6.8bar (others available)	low/ medium	86-87
	UltraPoint™ Air	bulk	800mL (27oz)	1.45kN	6.8bar (others available)	low/ medium	88-89



COX™ 1-Component Dispenser

EasiFlow™ HD Lite

A 1-component manual bead dispenser for 310mL cartridges.



Model shown: EasiFlow HD Lite 310mL

Product advantages

- Built-in Pressure Relief Device (PRD)
- Glass fiber reinforced nylon frame and handle
- Built in cartridge support strap
- Curved rod end
- Spike (US only)
- Warranty up to 1 year*

Customer benefits

- Stops material flow when trigger is released
- Lightweight and highly durable
- Helps securely position and retain the cartridge
- For convenient tool support and storage
- For piercing barrier in cartridges
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range




The **EasiFlow HD Lite** range of manual dispensers is designed for use with low viscosity sealants and adhesives.

Specifications

- Weight: 0.32kg / 0.71lbs
- Frame Length: 234mm / 9.21in
- Maximum Thrust: 1.2kN
- Pressure Relief Device (PRD)
- Handle Material: Glass Fiber Reinforced Nylon
- Frame Material: Glass Fiber Reinforced Nylon
- Tool Component Approvals: REACH
- Cartridge Capacity: 310mL / 10.5oz
- Mechanical Advantage Ratio: (7:1)
- Standard Color: Blue
- Nozzle Dimension: Ø41mm / 1.61in
- Customized versions on demand

Dimensions



Part number:
HD Lite

Article number:
AS1025 (21001 for US)

Packaging:
25 units per Box (12 per Box for US)

Matching MIXPAC™ cartridges

Compatible cartridges



Plastic Cartridge
310mL

	mm	inch
a	215.0	8.46
b	Ø 50.0	Ø 1.97

Conversion kits

Matching accessories


Nozzle extension / Twisty nozzle on pages 90-95.



COX™ 1-Component Dispenser

EasiFlow™ HD

A 1-component manual bead dispenser for 310/400mL cartridges.



Model shown: EasiFlow HD 400mL

Product advantages

- Built-in Pressure Relief Device (PRD)
- Epoxy coated steel handle and frame
- Curved rod end
- Spike (US only)
- Warranty up to 1 year*

Customer benefits

- Stops material flow when trigger is released
- Lightweight and highly durable
- For convenient tool support and storage
- For piercing barrier in cartridges
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



EasiFlow HD Lite

EasiFlow HD

*effective: July 2018


The **EasiFlow HD** range of manual dispensers is designed for use with low viscosity sealants and adhesives.

Specifications

- Weight: 0.51-0.54kg / 1.1-1.2lbs
 - Frame Length: 231mm-268mm / 9.1in-10.5in
 - Maximum Thrust: 1.2kN
 - Pressure Relief Device (PRD)
 - Handle Material: Epoxy Coated Steel
 - Frame Material: Epoxy Coated Steel
 - Tool Component Approvals: REACH
- Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Mechanical Advantage Ratio: (7:1)
 - Standard Color: Blue
 - Nozzle Dimension: ø41mm / 1.61in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	frame (f)
HD 310	187 /8.4	328 /13.3	54 /2.3	231 /9.1
HD 400	187 /8.4	368 /14.7	54 /2.3	268 /10.5



Part number:	Article number:	Packaging:
HD 310	AC1000 (with PRD) AB1000 (41001 for US)	10/12/25 per Box (12 per Box for US)
HD 400	AC2000 (with PRD) AB2000	10/12/25 per Box

Matching MIXPAC™ cartridges

-	-
---	---

Compatible cartridges

Plastic Cartridge
310mL

	mm	inch
a	215.0	8.46
b	Ø 50.0	Ø 1.97

Plastic Cartridge
400mL

	mm	inch
a	250.0	9.84
b	Ø 50.0	Ø 1.97

Conversion kits

-

Matching accessories


Nozzle extension / Twisty nozzle on pages 90-95.



COX™ 1-Component Dispenser

MidiFlow™ Cartridge

A 1-component manual bead dispenser for 310/400mL cartridges.



Model shown: MidiFlow Cartridge 400mL

Product advantages

- Ergonomically designed handle
- U-opening rotating steel frame
- Curved rod end
- Wear compensation sleeve
- Warranty up to 1 year*

Customer benefits

- Lightweight highly durable
- Ease of cartridge insertion and removal
- Convenient tool support and storage
- For increased durability
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range




The **MidiFlow Cartridge** offers a fully interchangeable dispenser allowing the user complete flexibility, designed for use with low viscosity sealants and adhesives.

Specifications

- Weight 0.67kg / 1.5lbs
- Frame Length: 271mm / 10.67in
- Maximum Thrust: 1.5kN
- Handle Material: Glass Fiber Reinforced Nylon
- Frame Material: Epoxy Coated Steel
- Tool Component Approvals: REACH
- Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
- Mechanical Advantage Ratio: (10:1)
- Standard Color: Blue/Grey
- Nozzle Dimension: ø26-ø31mm / 1.02-1.22in
- Customized versions on demand

Dimensions



Part number:

Cart 310/400mL

Article number:

MF1401

Packaging:

10 per Box

Matching MIXPAC™ cartridges

Compatible cartridges



Plastic Cartridge
310mL

	mm	inch
a	215.0	8.46
b	Ø 50.0	Ø 1.97



Plastic Cartridge
400mL

	mm	inch
a	250.0	9.84
b	Ø 50.0	Ø 1.97

Conversion kits

-

Matching accessories


Nozzle extension / twisty nozzle on pages 90-95.



COX™ 1-Component Dispenser

MidiFlow™ Combi

A 1-component manual bead dispenser for 310/400mL cartridges and 310/400/600mL sachets.



Model shown: MidiFlow Combi 600mL

Product advantages

- Ergonomically designed handle
- Barrel housing for cartridges and sachets
- Curved rod end
- Surface hardened catch plate and rod design
- Warranty up to 1 year*

Customer benefits

- Lightweight highly durable
- Gives you complete flexibility
- For convenient tool support and storage
- Maintains high material output
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range




*effective: July 2018

The **MidiFlow Combi** range offers a fully interchangeable dispenser allowing the user complete flexibility between sealant systems.

Specifications

- Weight: 0.58kg / 1.3lbs
- Barrel Length: 377mm / 14.84in
- Maximum Thrust: 1.5kN
- Handle Material: Glass Reinforced Nylon
- Barrel Material: ABS Polymer
- Tool Component Approvals: REACH
- Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
- Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz) 600mL (20.3oz)
- Mechanical Advantage Ratio: (10:1)
- Standard Color: Blue/Grey
- Nozzle Dimension: ø38mm / 1.5in
- Customized versions on demand

Dimensions



Part number:

Combi

Article number:




MG1601 (31001-600 for US)

Packaging:

10 per Box (3 per Box for US)

Matching MIXPAC™ cartridges

Compatible cartridges and sachets

				
Plastic Cartridge 310mL	Sachet 310mL	Plastic Cartridge 400mL	Sachet 400mL	Sachet 600mL
mm inch	mm inch	mm inch	mm inch	mm inch
a 215.0 8.46	a 220.0 8.66	a 250.0 9.84	a 258.0 10.16	a 335.0 13.19
b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97

Conversion kits

-

Matching accessories

Nozzle extension/twisty nozzle/yellow cone / white cone nozzle on pages 90-95.



COX™ 1-Component Dispenser

PowerFlow™ Cartridge

A 1-component manual bead dispenser for 310/400mL cartridges.



Model shown: PowerFlow Cartridge 310mL

Product advantages

- High quality epoxy coated cast aluminum handle
- U-opening steel frame
- Curved rod end
- Switchable Pressure Relief Device (PRD)
- Rotating Frame
- Spike (US only)
- Warranty up to 2 year*

Customer benefits

- Powerful and highly durable
- For ease of cartridge insertion and removal
- Creates convenient tool support and storage
- Prevents material run-on
- For easy cartridge insertion
- For piercing barrier in cartridges
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



**PowerFlow
Cartridge**




PowerFlow
Combi



PowerFlow
Bulk



PowerFlow
HP Cartridge



PowerFlow
HP Combi

*effective: July 2018


The **PowerFlow Cartridge** is part of a range of high-powered manual dispensers, designed for use with low-medium viscosity sealants and adhesives.

Specifications

- Weight: 0.75-0.79kg / 1.65-1.74lbs
 - Frame Length: 233mm-274mm / 9.3in-15.0in
 - Maximum Thrust: 2.5kN
 - Pressure Relief Device (PRD)
 - Handle Material: Epoxy Coated Aluminum
 - Frame Material: Epoxy Coated Steel
- Tool Component Approvals: REACH
 - Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Mechanical Advantage Ratio: (12:1)
 - Standard Color: Blue/Black
 - Nozzle Dimension: ø27-31mm / 1.1-1.2in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	frame (f)
Cartridge 310	213 /8.4	334 /13.1	58.5 /2.3	233 /9.3
Cartridge 400	213 /8.4	391 /15.3	58.3 /2.3	274 /10.8



Part number:	Article number:	Packaging:
Cartridge 310	AE1001 (41004 for US)	1/10 per Box (6 per Box for US)
Cartridge 400	AE2001	1/10 per Box

Matching MIXPAC™ cartridges



Compatible coaxial cartridges

Cartridge 150mL	Plastic Cartridge 310mL	Plastic Cartridge 400mL	Red Cap * 150mL 1:1 and 10:1	Black Cap * 150mL 1:1 and 10:1
mm inch	mm inch	mm inch	mm inch	mm inch
a 117.0 4.61	a 215.0 8.46	a 250.0 9.84	a 118.5 4.67	a 117.0 4.61
b Ø 51.0 Ø 2.01	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 49.3 Ø 1.94	b Ø 50.6 Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories


Nozzle extension / Twisty nozzle on pages 90-95.



COX™ 1-Component Dispenser

PowerFlow™ Cartridge

A 1-component manual bead dispenser for 1000mL cartridges.



Model shown: PowerFlow Cartridge 1000mL

Product advantages

- High quality epoxy coated cast aluminum handle
- U-opening steel frame
- Rotating frame
- Switchable Pressure Relief Device (PRD)
- Warranty up to 2 years*

Customer benefits

- Powerful and highly durable
- Ease of cartridge insertion and removal
- For easy cartridge insertion
- Prevents material run-on
- Gives you long worry free performance



Applications



Bonding

Sealing

Product by range




*effective: July 2018

The **PowerFlow Cartridge** is part of a range of high-powered manual dispensers, designed for use with low-medium viscosity sealants and adhesives.

Specifications

- Weight: 1.12kg / 2.46lbs
- Frame Length: 256mm / 10.08in
- Maximum Thrust: 2.5kN
- Pressure Relief Device (PRD)
- Handle Material: Epoxy Coated Aluminum
- Frame Material: Epoxy Coated Steel
- Tool Component Approvals:REACH
- Cartridge Capacity: 1000mL (33.8oz)
- Mechanical Advantage Ratio: (12:1)
- Standard Color: Blue/Black
- Nozzle Dimension: ø38mm / 1.5in
- Customized versions on demand

Dimensions



Part number:
Cartridge

Article number:
AG1000

Packaging:
1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges



Short Plastic Cartridge
1000mL

	mm	inch
a	210.0	8.27
b	Ø 90.0	Ø 3.54

Conversion kits

Matching accessories


Nozzle extension / Twisty nozzle on pages 90-95.



COX™ 1-Component Dispenser

PowerFlow™ Quart Cartridge

A 1-component manual bead dispenser for US 946mL cartridges.



Model shown: PowerFlow Quart Cartridge 946mL

Product advantages

- High quality epoxy coated cast aluminum handle
- U-opening steel frame
- Curved rod end
- Switchable Pressure Relief Device (PRD)
- Rotating Frame
- Spike (US only)
- Warranty up to 2 years*


Customer benefits

- Powerful and highly durable
- Ease of cartridge insertion and removal
- Creates convenient tool support and storage
- Prevents material run-on
- For easy cartridge insertion
- For piercing barrier in cartridges
- Gives you long worry free performance

Applications



Product by range




*effective: July 2018

The **PowerFlow Quart Cartridge** is part of a range of high-powered manual dispensers, designed for use with low-medium viscosity sealants and adhesives.

Specifications

- Weight: 0.79kg / 1.7lbs
- Frame Length: 274mm / 10.78in
- Maximum Thrust: 2.5kN
- Pressure Relief Device (PRD)
- Handle Material: Epoxy Coated Aluminum
- Frame Material: Epoxy Coated Steel
- Tool Component Approvals: REACH
- Cartridge Capacity: 946mL (32oz)
- Mechanical Advantage Ratio: (12:1)
- Standard Color: Blue/Black
- Nozzle Dimension: ø38mm / 1.5in
- Customized versions on demand

Dimensions



Part number:
Quart Cartridge

Article number:
41002 for US

Packaging:
3 per Box

Matching MIXPAC™ cartridges

Compatible cartridges



Quart Cartridge
946mL

	mm	inch
a	258	10.2
b	Ø 50.0	Ø 1.97

Conversion kits

Matching accessories


Nozzle extension / Twisty nozzle on pages 90-95.



COX™ 1-Component Dispenser

PowerFlow™ Combi

A 1-component manual bead dispenser for 310/400mL cartridges and 310/400/600mL sachets.



Model shown: PowerFlow Combi 400mL

Product advantages

- High quality epoxy coated cast aluminum handle
- Anodized aluminum barrel
- Switchable Pressure Relief Device (PRD)
- Contoured handle and trigger grip
- Warranty up to 2 years*

Customer benefits

- Lightweight and highly durable
- Easily converted from cartridge to sachet
- Prevents material run-on
- For ease of use
- Gives you long worry free performance

Applications



Bonding



Sealing

Product by range



*effective: July 2018


The **COX PowerFlow Combi** is part of a range of high-powered manual dispensers, designed for use with low-medium viscosity sealants and adhesives.

Specifications

- Weight: 0.9-1.1kg / 2.0-2.3lbs
 - Barrel Length: 236mm-389mm / 9.3in-15.3in
 - Maximum Thrust: 2.5kN
 - Handle Material: Epoxy Coated Aluminum
 - Barrel Material: Anodized Aluminum
 - Tool Component Approvals: REACH
- Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Sachet Capacity: 310ml (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Mechanical Advantage Ratio: (12:1)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Combi 310	213 /8.4	337 /13.3	69 /2.7	236 /9.3
Combi 400	213 /8.4	381 /14.7	69 /2.7	282 /11.1
Combi 600	213 /8.4	488 /19.0	69 /2.7	389 /15.3



Part number:	Article number:	Packaging:
Combi 310	AJ1001 (51000 for US)	1 or 5/10 per Box (1 per Box for US)
Combi 400	AJ2001 (51000-400 for US)	1 or 5/10 per Box (1 per Box for US)
Combi 600	AJ4001	1 or 5/10 per Box

Matching MIXPAC™ cartridges



Compatible cartridges and sachets

Plastic Cartridge 310mL		Sachet 310mL		Plastic Cartridge 400mL		Sachet 400mL		Sachet 600mL		Red Cap * 150mL 1:1 and 10:1		Black Cap * 150mL 1:1 and 10:1	
a	b	a	b	a	b	a	b	a	b	a	b	a	b
mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
215.0	8.46	220.0	8.66	250.0	9.84	258.0	10.16	335.0	13.19	118.5	4.67	117.0	4.61
Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 49.3	Ø 1.94	Ø 50.6	Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories


Nozzle extension / Twisty nozzle / White Cone / Yellow Cone on pages 90-95.



COX™ 1-Component Dispenser

PowerFlow™ Bulk Combi

A 1-component manual bead dispenser for 310/400mL cartridges and 400/600/1000mL sachets/bulk material.



Model shown: PowerFlow Bulk Combi 400mL

Product advantages

- Lightweight and highly durable
- Anodized aluminum barrel
- Prevents material run-on
- For ease of use
- Gives you long worry free performance*

Customer benefits

- Lightweight and highly durable
- Easily converted from cartridge to sachet
- Prevents material run-on
- For ease of use
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



*effective: July 2018


The **PowerFlow Bulk Combi** is part of a range of high-powered manual dispensers, designed for use with low-medium viscosity sealants and adhesives.

Specifications

- Weight: 0.9-1.2kg / 2.0-2.7lbs
- Barrel Length: 282mm-603mm / 11.1in-23.8in
- Maximum Thrust: 2.5kN
- Handle Material: Epoxy Coated Aluminum
- Barrel Material: Anodized Aluminum
- Tool Component Approvals: REACH
- Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
- Sachet Capacity: 400mL (13.5oz), 600mL (20.3oz)
- Bulk Capacity: 600mL (20.3oz), 1000mL (33.8oz)
- Mechanical Advantage Ratio: (12:1)
- Special Barrel Length: available upon request
- Standard Color: Black/Grey
- Nozzle Dimension: ø38mm / 1.5in
- Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Bulk Combi 400	213 /8.4	381 /14.7	69 /2.7	282 /11.1
Bulk Combi 600	213 /8.4	488 /19.0	69 /2.7	389 /15.3
Bulk Combi 1000 small	216 /8.5	692 /27.3	70 /2.8	603 /23.8



Part number:

Bulk Combi 400

Article number:

AJ8276

Packaging:

1 or 5/10 per Box

Bulk Combi 600

AJ4701 (51001 for US)

1 or 5/10 per Box (1 per Box for US)

Bulk Combi 1000 small

AJ3010 (51001-1000 for US)

1 or 5/10 per Box (1 per Box for US)

Matching MIXPAC™ cartridges

Compatible cartridges and sachets



Plastic Cartridge
400mL

	mm	inch
a	250.0	9.84
b	Ø 50.0	Ø 1.97



Sachet
400mL

	mm	inch
a	258.0	10.16
b	Ø 50.0	Ø 1.97



Sachet
600mL

	mm	inch
a	335.0	13.19
b	Ø 50.0	Ø 1.97



Cartridge
1000mL

	mm	inch
a	711.2	28.00
b	Ø 55.9	Ø 2.2

Conversion kits

Matching accessories

Plungers/ Nozzle extension / White Cone/ Yellow Cone /
Twisty nozzle on pages 90-95.



COX™ 1-Component Dispenser

PowerFlow™ Bulk

A 1-component manual bead dispenser for 2000/4000mL bulk material.



Model shown: PowerFlow Bulk 4000mL

Product advantages

- Epoxy coated cast aluminum handle
- Quick release aluminum end caps
- Switchable Pressure Relief Device (PRD)
- Warranty up to 2 years*

Customer benefits

- For fast, efficient dispensing
- No-loss trigger action for fast, efficient dispensing
- Prevents material run-on
- Gives you long worry free performance

Applications



Product by range



*effective: July 2018


The **COX PowerFlow Bulk** is part of a range of high-powered manual dispensers. Designed for use with low-medium viscosity sealants and adhesives.

Specifications

- Weight: 3.1-4.5kg / 6.9-9.9lbs
 - Barrel Length: 529mm-935mm / 20.8in-36.8in
 - Maximum Thrust: 2.5kN
 - Pressure Relief Device (PRD)
 - Handle Material: Epoxy Coated Cast Aluminum
 - Barrel Material: Epoxy Coated Steel
- Tool Component Approvals: REACH
 - Mechanical Advantage Ratio: (12:1)
 - Bulk Material Capacity: 2000mL, 4000mL
 - Special Barrel Length: available upon request
 - Standard Color: Black
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Bulk 2L	222 /8.7	685 /27.0	99 /3.9	529 /20.8
Bulk 4L	222 /8.7	1087 /42.8	99 /3.9	935 /36.8



Part number:	Article number:	Packaging:
Bulk 2L	AU1002	1 per Box
Bulk 4L	AU1004	1 per Box

Matching MIXPAC™ cartridges

-

Compatible cartridges

-

Conversion kits

-

Matching accessories


Carrying handle/ wheel assembly/ nozzles on pages 90-95.



COX™ 1-Component Dispenser

PowerFlow™ HP Cartridge

A 1-component manual bead dispenser for 310/400mL cartridges.



Model shown: PowerFlow HP Cartridge 310mL

Product advantages

- High quality epoxy coated cast aluminum handle
- U-opening steel frame
- Curved rod end
- Switchable Pressure Relief Device (PRD)
- Rotating Frame
- Spike (US only)
- Warranty up to 2 years*

Customer benefits

- Powerful and highly durable
- Ease of cartridge insertion and removal
- Creates convenient tool support and storage
- Prevents material run-on
- For easy cartridge insertion
- For piercing barrier in cartridges
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



*effective: July 2018


The **COX PowerFlow HP Cartridge** is part of a range of high-powered manual dispensers. Designed for use with medium-high viscosity sealants and adhesives.

Specifications

- Weight: 0.8-0.9kg / 1.7-2.1lbs
 - Frame Length: 233mm-271mm / 9.2in-10.7in
 - Maximum Thrust: 3.5kN
 - Pressure Relief Device (PRD)
 - Handle Material: Epoxy Coated Aluminum
 - Frame Material: Epoxy Coated Steel
- Tool Component Approvals: REACH
 - Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Mechanical Advantage Ratio: (18:1)
 - Standard Color: Blue/Black
 - Nozzle Dimension: ø25mm / 0.98in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	frame (f)
Cart. 310 HP	217 /8.5	334 /13.1	58.5 /2.3	233 /9.2
Cart. 400 HP	217 /8.5	391 /15.3	58.3 /2.3	271 /10.7



Part number:

Cartridge 310 HP
Cartridge 400 HP

Article number:

AE6900 (41004-XT for US)
AE7900

Packaging:

1 or 5/6/10/12/15 per Box (6 per Box for US)
1 or 5/6/10 per Box

Matching MIXPAC™ cartridges



Compatible coaxial cartridges

Cartridge 150mL	Plastic Cartridge 310mL	Plastic Cartridge 400mL	Red Cap * 150mL 1:1 and 10:1	Black Cap * 150mL 1:1 and 10:1
mm inch	mm inch	mm inch	mm inch	mm inch
a 117.0 4.61	a 215.0 8.46	a 250.0 9.84	a 118.5 4.67	a 117.0 4.61
b Ø 51.0 Ø 2.01	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 49.3 Ø 1.94	b Ø 50.6 Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories

Nozzle extension / Twisty nozzle on
pages 90-95.



COX™ 1-Component Dispenser

PowerFlow™ HP Combi

A 1-component manual bead dispenser for 310/400mL cartridges and 400/600mL sachets.



Model shown: PowerFlow HP Combi 600mL

Product advantages

- High quality epoxy coated cast aluminum handle
- Easily converted for cartridges and sachets
- Switchable Pressure Relief Device (PRD)
- Warranty up to 2 years*

Customer benefits

- For day long comfortable use
- Gives you complete flexibility
- Prevents material run-on
- Gives you long worry free performance

Applications



Bonding



Sealing

Product by range



*effective: July 2018


The **PowerFlow HP Combi** is part of a range of high-powered manual dispensers, designed for use with low-high viscosity sealants and adhesives.

Specifications

- Weight: 0.9-1.1kg / 2.0-2.3lbs
 - Barrel Length: 274mm-382mm / 10.8in-15.0in
 - Maximum Thrust: 3.5kN
 - Handle Material: Epoxy Coated Aluminum
 - Barrel Material: Anodized Aluminum
 - Tool Component Approvals: REACH
- Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Sachet Capacity: 400mL (13.5oz), 600mL (20.3oz)
 - Mechanical Advantage Ratio: (18:1)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Combi 400 HP	213 /8.4	376 /14.8	69 /2.7	274 /10.8
Combi 600 HP	213 /8.4	493 /19.4	69 /2.7	382 /15.0



Part number:	Article number:	Packaging:
Combi 400 HP	AJ2502 (51000-400XT for US)	1 or 5/10 per Box (1 per Box for US)
Combi 600 HP	AJ4001 (51001-XT for US)	1 or 5/10 per Box (1 per Box for US)

Matching MIXPAC™ cartridges



Compatible cartridges and sachets

Plastic Cartridge 310mL		Sachet 310mL		Plastic Cartridge 400mL		Sachet 400mL		Sachet 600mL		Red Cap * 150mL 1:1 and 10:1		Black Cap * 150mL 1:1 and 10:1	
mm inch		mm inch		mm inch		mm inch		mm inch		mm inch		mm inch	
a	215.0 8.46	a	220.0 8.66	a	250.0 9.84	a	258.0 10.16	a	335.0 13.19	a	118.5 4.67	a	117.0 4.61
b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 49.3 Ø 1.94	b	Ø 50.6 Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories


Nozzle extension / White Cone / Yellow Cone / Twisty nozzle on page 90-95.



COX™ 1-Component Dispenser

PowerFlow™ HP Quart Cartridge

A 1-component manual bead dispenser for US 946mL cartridges.



Model shown: PowerFlow HP Quart Cartridge 946mL

Product advantages

- High quality epoxy coated cast aluminum handle
- Epoxy coated steel cradle supports cartridge
- Curved rod end
- Switchable Pressure Relief Device (PRD)
- Spike (US only)
- Warranty up to 2 years*

Customer benefits

- Gives you day-long comfortable use
- For convenient tool support and storage
- Creates convenient tool support and storage
- Prevents material run-on
- For piercing barrier in cartridges
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range




*effective: July 2018

The **PowerFlow HP Quart Cartridge** is part of a range of high-powered manual dispensers, designed for use with low-high viscosity sealants and adhesives.

Specifications

- Weight: 1.47kg / 2.5lbs
- Frame Length: 354mm / 13.94in
- Maximum Thrust: 3.5kN
- Pressure Relief Device (PRD)
- Handle Material: Epoxy Coated Aluminum
- Frame Material: Epoxy Coated Steel
- Tool Component Approvals: REACH
- Cartridge Capacity: 946mL (32oz)
- Mechanical Advantage Ratio: (18:1)
- Standard Color: Blue/Black
- Nozzle Dimension: $\varnothing 26\text{mm}$ / 1.02in
- Customized versions on demand

Dimensions



Part number:
HP Quart Cartridge

Article number:
41002-XT for US

Packaging:
3 per Box

Matching MIXPAC™ cartridges

Compatible cartridges



Conversion kits

Matching accessories


Nozzle extension / Twisty nozzle on pages 90-95.



COX™ 1-Component Dispenser

UltraFlow™ Cartridge

A 1-component manual bead dispenser for 310mL cartridges.



Model shown: UltraFlow Cartridge 310mL

Product advantages

- Epoxy coated aluminum handle
- Anodized steel rotating frame
- Built in cartridge support straps
- Curved rod end
- Hardened and metal plated parts
- Warranty up to 2 years*

Customer benefits

- Designed to accommodate high load requirements with ease
- Copes easily with high forces
- Helps securely position and retain the cartridge
- Increases corrosion resistance
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range




*effective: July 2018

The **UltraFlow Cartridge** is part of a range of high-powered manual dispensers, designed for use with medium to high viscosity sealants and adhesives.

Specifications

- Weight: 0.90kg / 1.34lbs
- Frame Length: 243mm / 9.57in
- Maximum Thrust: 4.5kN
- Handle Material: Epoxy Coated Aluminum
- Frame Material: Anodized Steel
- Tool Component Approvals: REACH
- Cartridge Capacity: 310mL (10.5oz)
- Mechanical Advantage Ratio: (25:1)
- Standard Color: Blue/Black
- Nozzle Dimension: ø26mm / 1.02in
- Customized versions on demand

Dimensions



Part number:

Cart 310/400mL

Article number:

BE1001 (41004-2T for US)

Packaging:

1 or 5/10 per Box (6 per Box for US)

Matching MIXPAC™ cartridges



Compatible coaxial cartridges

Cartridge
150mL

	mm	inch
a	117.0	4.61
b	Ø 51.0	Ø 2.01

Plastic Cartridge
310mL

	mm	inch
a	215.0	8.46
b	Ø 50.0	Ø 1.97

Red Cap *
150mL 1:1 and 10:1

	mm	inch
a	118.5	4.67
b	Ø 49.3	Ø 1.94

Black Cap *
150mL 1:1 and 10:1

	mm	inch
a	117.0	4.61
b	Ø 50.6	Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories


Nozzle extension / twisty nozzle on pages 90-95.



COX™ 1-Component Dispenser

UltraFlow™ Combi

A 1-component manual bead dispenser for 310/400mL cartridges and 310/400/600mL sachets.



Model shown: UltraFlow Combi 600mL

Product advantages

- Epoxy coated aluminum handle
- Large sintered metal catch plate
- Metal wear compensation sleeve
- Warranty up to 2 years*

Customer benefits

- Powerful 25:1 trigger ratio for easy application
- Offers high load resistance
- Protects catch plate contact area increasing tool life
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



*effective: July 2018


The **UltraFlow Combi** is part of a range of high-powered manual dispensers, designed for use with medium to high viscosity sealants and adhesives.

Specifications

- Weight: 1.0-1.1kg / 2.2-2.5lbs
 - Barrel Length: 342mm-482mm / 13.5in-19.0in
 - Maximum Thrust: 4.5kN
 - Handle Material: Epoxy Coated Aluminum
 - Barrel Material: Anodized Aluminum
 - Tool Component Approvals: REACH
- Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Mechanical Advantage Ratio: (25:1)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Combi 310	213 /8.4	342 /13.5	69 /2.7	235 /9.3
Combi 400	213 /8.4	389 /15.3	69 /2.7	285 /11.2
Combi 600	213 /8.4	482 /19.0	69 /2.7	376 /14.8



Part number:	Article number:	Packaging:
Combi 310	BF1000 (51000-2T for US)	1 or 5/10 per Box (1 per Box for US)
Combi 400	BF2000	1 or 5/10 per Box
Combi 600	BF4001 (51001-2T for US)	1 or 5/10 per Box (1 per Box for US)

Matching MIXPAC™ cartridges



Compatible cartridges and sachets

Plastic Cartridge 310mL		Sachet 310mL		Plastic Cartridge 400mL		Sachet 400mL		Sachet 600mL		Red Cap * 150mL 1:1 and 10:1		Black Cap * 150mL 1:1 and 10:1	
mm inch		mm inch		mm inch		mm inch		mm inch		mm inch		mm inch	
a	215.0 8.46	a	220.0 8.66	a	250.0 9.84	a	258.0 10.16	a	335.0 13.19	a	118.5 4.67	a	117.0 4.61
b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 49.3 Ø 1.94	b	Ø 50.6 Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories

White Cone / Yellow Cone on page 90-95.



COX™ 1-Component Dispenser

UltraFlow™ Bulk

A 1-component manual bead dispenser for 600/1000mL bulk material.



Model shown: UltraFlow Bulk 600mL

Product advantages

- Ergonomically formed epoxy coated aluminum handle
- Large sintered metal catch plate
- Metal wear compensation sleeve
- Warranty up to 2 years*

Customer benefits

- Powerful 25:1 trigger ratio for easy application
- Offers high load resistance
- Protects the catch plate contact area increasing tool life
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



*effective: July 2018


The **UltraFlow Bulk** is part of a range of high-powered manual dispensers, designed for use with medium to high viscosity sealants and adhesives.

Specifications

- Weight: 1.1-1.3kg / 2.4-2.9lbs
 - Barrel Length: 380mm-537mm / 9.3in-21.1in
 - Maximum Thrust: 4.5kN
 - Handle Material: Epoxy Coated Aluminum
 - Barrel Material: Anodized Aluminum
 - Tool Component Approvals: REACH
- Bulk Material Capacity: 600mL (20.3oz), 1000mL (33.8oz)
 - Mechanical Advantage Ratio: (25:1)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Bulk 600	213 /8.4	490 /19.3	69 /2.7	380 /9.3
Bulk 1000	213 /8.4	650 /25.6	69 /2.7	537 /21.1



Part number:	Article number:	Packaging:
Bulk 600	BM4250X	1 per Box
Bulk 1000	BM5250X	1 or 10 per Box

Matching MIXPAC™ cartridges

-

Compatible cartridges

-

Conversion kits

-

Matching accessories


Ladder Hook Kit / White Cone / Yellow Cone
on pages 90-95.



COX™ 1-Component Dispenser

UltraPoint™

A 1-component manual pointing and grouting dispenser for 800mL bulk materials.



Model shown: UltraPoint 800mL

Product advantages

- High thrust trigger mechanism with contoured grips
- Choice of nozzles for pointing or grouting
- Epoxy coated steel frame
- Rubber plunger
- Switchable Pressure Relief Device (PRD)
- Warranty up to 2 years*

Customer benefits

- Provides easier dispensing
- Easy to use and simple maintenance
- For strength, durability and corrosion resistance
- Allows for wear take-up and optimum barrel fit
- Prevents material run-on (US only)
- Gives you long worry free performance

Applications



Bonding




Sealing



Gap Filling

Product by range




The **UltraPoint** for pointing and gap filling between brick, grouting and stonework, paving and tiles.

Specifications

- Weight 1.42kg / 3.13lbs
- Barrel Length: 300mm / 11.81in
- Maximum Thrust: 2.5kN
- Handle Material: Epoxy Coated Aluminum
- Barrel Material: Black PVC
- Tool Component Approvals: REACH
- Bulk Material Capacity: 800mL (31.5oz)
- Mechanical Advantage Ratio: (12:1)
- Standard Color: Blue/Black
- Customized versions on demand

Dimensions



Part number:
Bulk 800mL

Article number:
AF6001 (41006 for US)

Packaging:
1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges

Conversion kits

Matching accessories


Grouting/pointing nozzle, dispenser tube, turbine mixer on pages 90-95.



COX™ 1-Component Dispenser

EasiPower™ Plus Cartridge

A 1-component battery powered bead dispenser for 310/400mL cartridges.



Model shown: EasiPower Plus Cartridge 310mL

Product advantages

- Variable speed trigger
- Epoxy coated steel frame
- Rapid battery charge
- Auto-reverse function
- Warranty up to 2 years*

Customer benefits

- For greater speed control during dispensing
- Copes easily with high forces
- 30 mins (0-100%)
- Stops material flow when trigger is released
- Gives you long worry free performance

Applications



Bonding



Sealing

Product by range




The **EasiPower Plus Cartridge** sets the benchmark for reliable battery powered dispensers, designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight with Battery: 1.63kg / 3.5lbs
- Frame Length: 247.8mm / 9.76in
- Maximum Thrust: 2.5kN
- Voltage: 10.8V
- Battery Capacity: 1.5Ah
- Battery Charge Time: 30 min.
- Battery Type: Li-ion
- Handle Material: PC/ABS
- Frame Material: Epoxy Coated Steel
- Tool Component Approvals: CE, REACH, RoHS
- Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
- Standard Color: Black/Grey
- Nozzle Dimension: ø20-31mm / 0.8-1.2in
- Customized versions on demand

Dimensions



Part number:

Cart 310/400mL

Article number:

EJ1300 (83010-L for US)





Packaging:

1 per Box or carry case

Matching MIXPAC™ cartridges



Compatible coaxial cartridges

																																							
Plastic Cartridge 310mL	Plastic Cartridge 400mL	Red Cap * 150mL 1:1 and 10:1	Black Cap * 150mL 1:1 and 10:1																																				
<table><tr><td></td><td>mm</td><td>inch</td></tr><tr><td>a</td><td>215.0</td><td>8.46</td></tr><tr><td>b</td><td>Ø 50.0</td><td>Ø 1.97</td></tr></table>		mm	inch	a	215.0	8.46	b	Ø 50.0	Ø 1.97	<table><tr><td></td><td>mm</td><td>inch</td></tr><tr><td>a</td><td>250.0</td><td>9.84</td></tr><tr><td>b</td><td>Ø 50.0</td><td>Ø 1.97</td></tr></table>		mm	inch	a	250.0	9.84	b	Ø 50.0	Ø 1.97	<table><tr><td></td><td>mm</td><td>inch</td></tr><tr><td>a</td><td>118.5</td><td>4.67</td></tr><tr><td>b</td><td>Ø 49.3</td><td>Ø 1.94</td></tr></table>		mm	inch	a	118.5	4.67	b	Ø 49.3	Ø 1.94	<table><tr><td></td><td>mm</td><td>inch</td></tr><tr><td>a</td><td>117.0</td><td>4.61</td></tr><tr><td>b</td><td>Ø 50.6</td><td>Ø 1.99</td></tr></table>		mm	inch	a	117.0	4.61	b	Ø 50.6	Ø 1.99
	mm	inch																																					
a	215.0	8.46																																					
b	Ø 50.0	Ø 1.97																																					
	mm	inch																																					
a	250.0	9.84																																					
b	Ø 50.0	Ø 1.97																																					
	mm	inch																																					
a	118.5	4.67																																					
b	Ø 49.3	Ø 1.94																																					
	mm	inch																																					
a	117.0	4.61																																					
b	Ø 50.6	Ø 1.99																																					

*needs additional plunger

Conversion kits

-

Matching accessories

Carry case / Universal battery charger / Battery on pages 90-95.



COX™ 1-Component Dispenser

EasiPower™ Plus Combi

A 1-component battery powered bead dispenser for 310/400mL cartridges and 310/400/600mL sachets.



Model shown: EasiPower Plus Combi 400mL

Product advantages

- Variable speed trigger
- Anodized Aluminum frame
- Rapid battery charge
- Auto-reverse function
- Warranty up to 2 years*

Customer benefits

- For greater speed control during dispensing
- Copes easily with high forces
- 30 mins (0-100%) – no memory loss
- Stops material flow when trigger is released
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



EasiPower Plus
Cartridge

EasiPower Plus
Combi

*effective: July 2018


The **EasiPower Plus Combi** sets the benchmark for reliable battery powered dispensers, designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight with Battery: 1.7-1.86kg / 3.64-4.1lbs
 - Barrel Length: 237mm-383mm / 9.3in-15.1in
 - Maximum Thrust: 2.5kN
 - Voltage: 10.8V
 - Battery Capacity: 1.5Ah
 - Battery Charge Time: 30 min.
 - Battery Type: Li-ion
 - Handle Material: PC/ABS
- Barrel Material: Anodized Aluminum
 - Tool Component Approvals: CE, REACH, RoHS
 - Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz) 600mL (20.3oz)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Combi 310	277 /10.9	454 /17.9	80 /3.1	237 /9.3
Combi 400	277 /10.9	492 /20.4	80 /3.1	275 /10.8
Combi 600	277 /10.9	600 /23.6	80 /3.1	383 /15.1



Part number:	Article number:	Packaging:
Combi 310	EJ2300	1 per Box or carry case
Combi 400	EJ2400	1 per Box or carry case
Combi 600	EJ2600 (83600-L for US)	1 per Box or carry case

Matching MIXPAC™ cartridges



Compatible cartridges and sachets

Plastic Cartridge 310mL		Sachet 310mL		Plastic Cartridge 400mL		Sachet 400mL		Sachet 600mL		Red Cap * 150mL 1:1 and 10:1		Black Cap * 150mL 1:1 and 10:1	
a	b	a	b	a	b	a	b	a	b	a	b	a	b
mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
215.0	8.46	220.0	8.66	250.0	9.84	258.0	10.16	335.0	13.19	118.5	4.67	117.0	4.61
ø 50.0	ø 1.97	ø 50.0	ø 1.97	ø 50.0	ø 1.97	ø 50.0	ø 1.97	ø 50.0	ø 1.97	ø 49.3	ø 1.94	ø 50.6	ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories

White cone / Yellow cone / Carry case / Universal battery charger / Battery on pages 90-95.



COX™ 1-Component Dispenser

ElectraFlow™ Plus Cartridge

A 1-component battery powered bead dispenser for 310mL cartridges.



Model shown: ElectraFlow Plus Cartridge 310mL

Product advantages

- Variable speed trigger
- Epoxy coated steel frame
- Overload shut off function
- Auto-reverse function
- Warranty up to 2 years*

Customer benefits

- For greater speed control during dispensing
- Copes easily with high forces
- Prevents damage to the tool and cartridge
- Stops material flow when trigger is released
- Gives you long worry free performance

Applications



Bonding



Sealing

Product by range




*effective: July 2018

The **ElectraFlow Plus Cartridge** is a heavy duty 18V lithium-ion battery powered dispenser, designed for use with medium-high viscosity sealants and adhesives.

Specifications

- Weight with Battery: 2.38kg / 5.2lbs
- Frame Length: 246mm / 9.69in
- Maximum Thrust: 3.5kN
- Voltage: 18V
- Battery Capacity: 1.5Ah/3.0Ah
- Battery Charge Time: 30 min.
- Battery Type: Li-ion
- Handle Material: PC/ABS
- Frame Material: Epoxy Coated Steel
- Tool Component Approvals: CE, REACH, RoHS
- Cartridge Capacity: 310mL (10.5oz)
- Standard Color: Black/Grey
- Nozzle Dimension: ø26mm / 1.02in
- Customized versions on demand

Dimensions



Part number:

Cartridge 310

Article number:

EH1300 (83010 for US)




Packaging:

1 per Box or carry case

Matching MIXPAC™ cartridges



Compatible coaxial cartridges

		
Plastic Cartridge 310mL	Red Cap * 150mL 1:1 and 10:1	Black Cap * 150mL 1:1 and 10:1
mm inch	mm inch	mm inch
a 215.0 8.46	a 118.5 4.67	a 117.0 4.61
b Ø 50.0 Ø 1.97	b Ø 49.3 Ø 1.94	b Ø 50.6 Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories


Universal battery charger / Battery / Carrying case
on pages 90-95.



COX™ 1-Component Dispenser

ElectraFlow™ Plus Combi

A 1-component battery powered bead dispenser for 310/400mL cartridges and 310/400/600mL sachets.



Model shown: ElectraFlow Plus Combi 310mL

Product advantages

- Variable speed trigger
- Anodized Aluminum barrel
- Rapid battery charge
- Auto-reverse function
- Warranty up to 2 years*

Customer benefits

- For greater speed control during dispensing
- Copes easily with high forces
- 30 mins (0-100%) – no memory loss
- Stops material flow when trigger is released
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



ElectraFlow Plus
Cartridge

**ElectraFlow Plus
Combi**

ElectraFlow Plus
Quart

ElectraFlow Plus
FloorFix

*effective: July 2018


The **COX ElectraFlow Plus Combi** is a heavy duty 18V lithium-ion battery powered dispenser, designed for use with medium-high viscosity sealants and adhesives.

Specifications

- Weight: 1.65-2.53kg / 3.63-5.6lbs
 - Barrel Length: 237mm-389mm / 9.3in-15.3in
 - Maximum Thrust: 3.5kN
 - Voltage: 18V
 - Battery Capacity: 1.5Ah and 3Ah
 - Battery Charge Time: 30 min.
 - Battery Type: Li-ion
 - Handle Material: PC/ABS
- Barrel Material: Anodized Aluminum
 - Tool Component Approvals: CE, REACH, RoHS
 - Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Combi 310	279 /11.0	480 /18.9	81 /3.2	237 /9.3
Combi 400	278 /10.9	518 /20.4	81 /3.2	275 /10.8
Combi 600	282 /11.1	632 /24.9	81 /3.2	389 /15.3



Part number:	Article number:	Packaging:
Combi 310	EH2300	1 per Box or carry case
Combi 400	EH2400	1 per Box or carry case
Combi 600	EH2600 (83600 for US)	1 per Box or carry case

Matching MIXPAC™ cartridges



Compatible cartridges and sachets

Plastic Cartridge 310mL		Sachet 310mL		Plastic Cartridge 400mL		Sachet 400mL		Sachet 600mL		Red Cap * 150mL 1:1 and 10:1		Black Cap * 150mL 1:1 and 10:1	
mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
a	215.0 8.46	a	220.0 8.66	a	250.0 9.84	a	258.0 10.16	a	335.0 13.19	a	118.5 4.67	a	117.0 4.61
b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 49.3 Ø 1.94	b	Ø 50.6 Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories


White cone / Yellow cone / Universal battery charger / Carrying case / Battery on pages 90-95.



COX™ 1-Component Dispenser

ElectraFlow™ Plus Quart

A 1-component battery powered bead dispenser for US 946mL cartridges.



Model shown: ElectraFlow Plus Quart 946mL

Product advantages

- Variable speed trigger
- Epoxy coated steel frame
- Rapid battery charge
- Auto-reverse function
- Warranty up to 2 years*

Customer benefits

- For greater speed control during dispensing
- Copes easily with high forces
- 30 mins (0-100%) – no memory loss
- Stops material flow when trigger is released
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range




*effective: July 2018

The **COX ElectraFlow Plus Quart** is a heavy duty 18V lithium-ion battery powered dispenser. Designed for use with medium-high viscosity sealants and adhesives.

Specifications

- Weight with Battery: 2.65kg / 5.8lbs
- Frame Length: 347mm / 13.66in
- Maximum Thrust: 3.5kN
- Voltage: 18V
- Battery Capacity: 1.5Ah
- Battery Charge Time: 30 min.
- Battery Type: Li-ion
- Handle Material: PC/ABS
- Frame Material: Epoxy Coated Steel
- Tool Component Approvals: CE, REACH, RoHS
- Cartridge Capacity: 946mL (32oz)
- Standard Color: Black/Grey
- Nozzle Dimension: ø26mm / 1.02in
- Customized versions on demand

Dimensions



Part number:

Quart 946

Article number:

EH8001 (83029 for US)

Packaging:

1 per box or carry case

Matching MIXPAC™ cartridges

Compatible cartridges



Conversion kits

Matching accessories


Universal battery charger / Carrying case /
Battery on pages 90-95.



COX™ 1-Component Dispenser

ElectraFlow™ Plus FloorFix

A 1-component specialist battery powered dispenser for 1800mL sachets.



Model shown: ElectraFlow Plus FloorFix 1800mL

Product advantages

- Speed sensitive trigger
- Auto-reverse function
- Variable spreader tubes
- No cleaning required
- Warranty up to 2 years*

Customer benefits

- Maintains an even application of materials
- Stops material flow when trigger is released
- Head widths - 190mm, 300mm and 400mm
- Disposable spreader tubes for greater productivity
- Gives you long worry free performance

Applications



Bonding



Sealing

Product by range




*effective: July 2018

The **COX ElectraFlow Plus FloorFix** is a heavy duty 18V lithium-ion battery powered floor dispenser. Designed for use with low to medium viscosity adhesives.

Specifications

- Weight with Battery: 4.28kg / 9.4lbs
- Barrel Length: 814mm / 32.05in
- Maximum Thrust: 3.5kN
- Voltage: 18V
- Battery Capacity: 1.5Ah/3Ah
- Battery Charge Time: 30 min.
- Battery Type: Li-ion
- Handle Material: PC/ABS
- Barrel Material: Anodized Aluminum
- Barrel Diameter: 63mm/ 2.48in
- Tool Component Approvals: CE, REACH, RoHS
- Sachet Capacity: 1800mL (60.9oz)
- Standard Color: Blue/Black
- Customized versions on demand

Dimensions



Part number:

FloorFix

Article number:

EH8103

Packaging:

1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges and sachets



Conversion kits

-

Matching accessories

Universal battery charger / Battery / Spreader tubes / Spreader heads/ Brackets can be found on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 1 Cartridge

A 1-component pneumatic bead dispenser for 310mL cartridges.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: AirFlow 1 Cartridge 310mL

Product advantages

- Epoxy coated aluminum handle
- Variable speed regulator
- 6.8bar (100psi) regulator
- Direct acting mechanism
- Lightweight and compact
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- Minimizes flow-on
- Fitted as standard - others are available
- For precise control, smooth material flow
- Minimizes waste of material
- Gives you long worry free performance

Applications



Product by range




*effective: July 2018

The **COX AirFlow 1 Cartridge** is part of a range of pneumatic dispensers designed for use with low viscosity sealants and adhesives.

Specifications

- Weight: 0.62kg / 1.4lbs
- Barrel Length: 250mm / 9.84in
- Maximum Thrust: 1.3kN
- Maximum Pneumatic Pressure: 6.8bar (100psi)
- Handle Material: Epoxy Coated Aluminum
- Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
- Cartridge Capacity: 310mL (10.5oz)
- Standard Color: Black/Grey
- Nozzle Dimension: ø38mm / 1.5in
- Customized versions on demand

Dimensions



Part number:

Cartridge 310

Article number:

AK1000

Packaging:

1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges



Plastic Cartridge
310mL

	mm	inch
a	215.0	8.46
b	Ø 50.0	Ø 1.97

Conversion kits

Matching accessories

Nozzles - can on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 1 Sachet

A 1-component pneumatic bead dispenser for 310/400/600mL sachets.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: AirFlow 1 Sachet 310mL

Product advantages

- Epoxy coated aluminum handle
- Quick exhaust valve
- Variable speed regulator
- 6.8bar (100psi) regulator
- Floating plunger, tethered piston system
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- Minimizes flow-on
- For precise control, smooth material flow
- Fitted as standard - others are available
- Minimizes waste of material
- Gives you long worry free performance

Applications



Product by range



*effective: July 2018


The **COX AirFlow 1 Sachet** is part of a range of pneumatic dispensers designed for use with low viscosity sealants and adhesives.

Specifications

- Weight: 0.95-1.13kg / 2.0-2.5lbs
 - Frame Length: 295mm-439mm / 11.6in-17.3in
 - Maximum Thrust: 1.45kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Epoxy Coated Aluminum
 - Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Sachet 310	205 /8.1	377 /14.8	69 /2.7	295 /11.6
Sachet 400	205 /8.1	409 /16.1	69 /2.7	327 /12.9
Sachet 600	205 /8.1	522 /20.6	69 /2.7	439 /17.3



Part number:	Article number:	Packaging:
Sachet 310	AL1001	1 or 10 per Box
Sachet 400	AL1501	1 or 10 per Box
Sachet 600	AL2501 (61006-600 for US)	1 or 10 per Box

Matching MIXPAC™ cartridges

Compatible cartridges and sachets

Sachet 310mL		Sachet 400mL		Sachet 600mL	
	mm inch		mm inch		mm inch
a	220.0 8.66	a	258.0 10.16	a	335.0 13.19
b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97

Conversion kits

Matching accessories


Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 1 Combi

A 1-component pneumatic bead dispenser for 310/400mL cartridges and 310/400/600mL sachets.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: AirFlow 1 Combi 310mL

Product advantages

- Epoxy coated aluminum handle
- Variable speed regulator
- Anodized aluminum barrel
- 6.8bar (100psi) regulator
- Piston driven rod action
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- For precise control, smooth material flow
- Lightweight and long life
- Fitted as standard - others are available
- Greater control of material flow
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



*effective: July 2018


The **COX AirFlow 1 Combi** is part of a range of pneumatic dispensers designed for use with low viscosity sealants and adhesives.

Specifications

- Weight: 1.3-1.5kg / 2.8-3.3lbs
 - Barrel Length: 236mm-388mm / 9.3in-15.3in
 - Maximum Thrust: 1.45kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Epoxy Coated Aluminum
 - Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
 - Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Combi 310	205 /8.1	584 /23.0	69 /2.7	236 /9.3
Combi 400	205 /8.1	666 /26.2	69 /2.7	280 /11.0
Combi 600	205 /8.1	882 /34.7	69 /2.7	388 /15.3



Part number:	Article number:	Packaging:
Combi 310	BB1309	1 or 10 per Box
Combi 400	BB1400	1 or 10 per Box
Combi 600	BB1601	1 or 10 per Box

Matching MIXPAC™ cartridges



Compatible cartridges and sachets

Plastic Cartridge 310mL	Sachet 310mL	Plastic Cartridge 400mL	Sachet 400mL	Sachet 600mL	Red Cap * 150mL 1:1 and 10:1	Black Cap * 150mL 1:1 and 10:1
mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch
a 215.0 8.46	a 220.0 8.66	a 250.0 9.84	a 258.0 10.16	a 335.0 13.19	a 118.5 4.67	a 117.0 4.61
b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 49.3 Ø 1.94	b Ø 50.6 Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories


Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 1 Bulk

A 1-component pneumatic bead dispenser for 2000/3000/4000mL bulk materials.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ●

Model shown: AirFlow 1 Bulk 2000mL

Product advantages

- Epoxy coated aluminum handle
- Variable speed regulator
- 6.8bar (100psi) regulator
- Steel barrel
- Tethered piston and plunger
- Warranty up to 2 years*


Customer benefits

- Ergonomically designed for comfort
- For precise control, smooth material flow
- Fitted as standard - others are available
- For durable long life dispensing
- Greater control of material flow
- Gives you long worry free performance

Applications



Product by range



*effective: July 2018


The **COX AirFlow 1 Bulk** is part of a range of pneumatic dispensers designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight: 1.3-1.5kg / 2.8-3.3lbs
 - Barrel Length: 491mm-900mm / 19.3in-35.4in
 - Maximum Thrust: 3.4kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Epoxy Coated Aluminum
 - Barrel Material: Steel
- Tool Component Approvals: CE, REACH
 - Bulk Material Feed: 2000mL (67.2oz), 3000mL (101.4oz), 4000mL (135.3oz)
 - Standard Color: Black/Grey
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
2000mL Short	234 /9.2	625 /24.6	99 /3.9	491 /19.3
3000mL Short	234 /9.2	882 /34.7	99 /3.9	748 /29.4
4000mL Short	234 /9.2	1035 /40.7	99 /3.9	900 /35.4



Part number:	Article number:	Packaging:
2000mL Short	AU1502	1 per Box
3000mL Short	AU1503	1 per Box
4000mL Short	AU1504	1 per Box

Matching MIXPAC™ cartridges

-	
---	--

Compatible cartridges and sachets

-	
---	--

Conversion kits

-	Matching accessories
---	----------------------


Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 1 HP Combi

A 1-component pneumatic bead dispenser for 310/400mL cartridges and 310/400/600mL sachets.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: AirFlow 1 HP Combi 310ml

Product advantages

- Epoxy coated aluminum handle
- Variable speed regulator
- 6.8bar (100psi) regulator
- Anodized aluminum barrel
- Piston driven rod action
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- For precise control, smooth material flow
- Fitted as standard - others are available
- For long life dispensing
- Greater control of material flow
- Gives you long worry free performance

Applications



Product by range



*effective: July 2018


The **COX AirFlow 1 HP Combi** is part of a range of pneumatic dispensers designed for use with high viscosity sealants and adhesives.

Specifications

- Weight: 1.95-2.46kg / 4.2-5.4lbs
 - Barrel Length: 216mm-362mm / 8.5in-14.3in
 - Maximum Thrust: 2.2kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Epoxy Coated Aluminum
 - Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
 - Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Standard Color: Black/Red
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
HP Combi 310	230 /9.1	570 /22.4	80 /3.1	216 /8.5
HP Combi 400	230 /9.1	642 /25.3	80 /3.1	251 /9.9
HP Combi 600	230 /9.1	861 /33.9	80 /3.1	362 /14.3



Part number:	Article number:	Packaging:
HP Combi 310	BB2311 (61004-HP for US)	1 per Box
HP Combi 400	BB2400	1 per Box
HP Combi 600	BB2601	1 per Box

Matching MIXPAC™ cartridges



Compatible cartridges and sachets

Plastic Cartridge 310mL		Sachet 310mL		Plastic Cartridge 400mL		Sachet 400mL		Sachet 600mL		Red Cap * 150mL 1:1 and 10:1		Black Cap * 150mL 1:1 and 10:1	
mm inch		mm inch		mm inch		mm inch		mm inch		mm inch		mm inch	
a	215.0 8.46	a	220.0 8.66	a	250.0 9.84	a	258.0 10.16	a	335.0 13.19	a	118.5 4.67	a	117.0 4.61
b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 50.0 Ø 1.97	b	Ø 49.3 Ø 1.94	b	Ø 50.6 Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories


Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 2 Cartridge

A 1-component pneumatic bead dispenser for 310/400mL cartridges.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: AirFlow 2 Cartridge 310mL

Product advantages

- Glass reinforced nylon handle
- Variable speed regulator
- Anodized aluminum barrel
- 6.8bar (100psi) regulator
- Direct acting mechanism
- Swivel hose
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- For precise control, smooth material flow
- Lightweight and long life
- Fitted as standard - others are available
- Air pressure applied direct to plunger
- For easy connection
- Gives you long worry free performance

Applications



Product by range



*effective: July 2018


The **COX AirFlow 2 Cartridge** is part of a range of pneumatic dispensers designed for use with low viscosity sealants and adhesives.

Specifications

- Weight: 0.73-0.81kg / 1.6-1.7lbs
 - Frame Length: 228mm-267mm / 9.0in-10.5in
 - Maximum Thrust: 1.2kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Glass Filled Nylon
 - Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
 - Cartridge Capacity:310mL (10.5oz), 400mL (13.5oz)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Cartridge 310	242 /9.5	282 /11.1	69 /2.7	228 /9.0
Cartridge 400	242 /9.5	322 /12.7	69 /2.7	267 /10.5



Part number:	Article number:	Packaging:
Cartridge 310	BH1001 (61001 for US)	1/5/10 per Box (1 per Box for US)
Cartridge 400	BH1503	1/5/10 per Box

Matching MIXPAC™ cartridges

-

Compatible cartridges



Plastic Cartridge
310mL

	mm	inch
a	215.0	8.46
b	Ø 50.0	Ø 1.97



Plastic Cartridge
400mL

	mm	inch
a	250.0	9.84
b	Ø 50.0	Ø 1.97

Cardboard cartridges should not be used with the AirFlow 2 Cartridge.

Conversion kits

-

Matching accessories


Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 2 Sachet

A 1-component pneumatic bead dispenser for 310/400/600mL sachets.



Model shown: AirFlow 2 Sachet 310mL

Product advantages

- Glass reinforced nylon handle
- Floating plunger with tethered piston system
- Integrated handle
- 6.8bar (100psi) regulator
- Quick exhaust valve
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- Minimizes flow-on
- Quick adjustment of pressure regulator
- Fitted as standard - others are available
- Minimizes waste of material
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



*effective: July 2018


The **COX AirFlow 2 Sachet** is part of a range of pneumatic dispensers designed for use with low viscosity sealants and adhesives.

Specifications

- Weight: 0.95-1.12kg / 2.1-2.5lbs
 - Frame Length: 290mm-437mm / 11.4in-17.2in
 - Maximum Thrust: 1.45kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Glass Filled Nylon
 - Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Standard Color: Black/Grey
 - Nozzle Dimension: Ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Sachet 310	242 /9.5	345 /13.6	69 /2.7	290 /11.4
Sachet 400	242 /9.5	386 /15.2	69 /2.7	332 /13.1
Sachet 600	242 /9.5	492 /19.4	69 /2.7	437 /17.2



Part number:	Article number:	Packaging:
Sachet 310	BJ1001 (61006-10 for US)	1/5/10 per Box (1 per Box for US)
Sachet 400	BJ1501 (61006-400 for US)	1/5/10 per Box (1 per Box for US)
Sachet 600	BJ2501 (61006-20 for US)	1/5/10 per Box (1 per Box for US)

Matching MIXPAC™ cartridges

Compatible cartridges and sachets

Sachet 310mL				Sachet 400mL				Sachet 600mL			
		mm	inch			mm	inch			mm	inch
a		220.0	8.66	a		258.0	10.16	a		335.0	13.19
b		Ø 50.0	Ø 1.97	b		Ø 50.0	Ø 1.97	b		Ø 50.0	Ø 1.97

Conversion kits


Matching accessories
Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 2 Combi

A 1-component pneumatic bead dispenser for 310/400mL cartridges and 310/400/600mL sachets.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: AirFlow 2 Combi 310mL

Product advantages

- Glass reinforced nylon handle
- Integrated handle
- 6.8bar (100psi) regulator
- Quick exhaust valve
- Rod driven plunger
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- Quick adjustment of pressure regulator
- Fitted as standard - others are available
- Minimizes flow-on
- For precise control and smooth material flow
- Gives you long worry free performance

Applications



Bonding



Sealing

Product by range




The **COX AirFlow 2 Combi** is part of a range of pneumatic dispensers designed for use with low viscosity sealants and adhesives.

Specifications

- Weight: 1.3-1.64kg / 2.8-3.6lbs
 - Frame Length: 211mm-357mm / 8.3in-14.1in
 - Maximum Thrust: 1.45kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Glass Filled Nylon
 - Barrel Material: Epoxy Coated Aluminum
- Tool Component Approvals: CE, REACH
 - Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Combi 310	242 /9.5	557 /21.9	69 /2.7	211 /8.3
Combi 400	242 /9.5	633 /24.9	69 /2.7	249 /9.8
Combi 600	242 /9.5	849 /33.4	69 /2.7	357 /14.1



Part number:	Article number:	Packaging:
Combi 310	BK1001 (61004-LP for US)	1/5/10 per Box (1 per Box for US)
Combi 400	BK1401	1/5/10 per Box
Combi 600	BK1602	1/5/10 per Box

Matching MIXPAC™ cartridges



Compatible cartridges and sachets

Plastic Cartridge 310mL		Sachet 310mL		Plastic Cartridge 400mL		Sachet 400mL		Sachet 600mL		Red Cap * 150mL 1:1 and 10:1		Black Cap * 150mL 1:1 and 10:1	
a	b	a	b	a	b	a	b	a	b	a	b	a	b
mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
215.0	8.46	220.0	8.66	250.0	9.84	258.0	10.16	335.0	13.19	118.5	4.67	117.0	4.61
Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 49.3	Ø 1.94	Ø 50.6	Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories

On pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 3 Cartridge

A 1-component pneumatic bead dispenser for 310/400mL cartridges.



Regulators

- **Standard: 6.8bar (100psi)**
- Options available:



Model shown: AirFlow 3 Cartridge 310mL

Product advantages

- Glass reinforced nylon handle
- Variable speed regulator
- Anodized aluminum barrel
- 6.8bar (100psi) regulator
- Built-in silencer (less than 70dB)
- Direct acting mechanism
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- For precise control, smooth material flow
- Lightweight and long life
- Fitted as standard - others are available
- Lowers noise level
- Air pressure applied direct to plunger
- Gives you long worry free performance

Applications



Bonding



Sealing

Product by range



*effective: July 2018


The **COX AirFlow 3 Cartridge** is part of a range of pneumatic dispensers. Designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight: 0.60-0.77kg / 1.3-1.7lbs
 - Barrel Length: 235-271mm / 9.2-10.7in
 - Maximum Thrust: 1.5kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Glass Filled Nylon
 - Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
 - Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Cartridge 310	251 /9.9	235 /9.2	69 /2.7	235 /9.2
Cartridge 400	251 /9.9	271 /10.7	69 /2.7	271 /10.7



Part number:	Article number:	Packaging:
Cartridge 310	SB2301 (63001 for US)	1 per Box
Cartridge 400	SB2401	1 per Box

Matching MIXPAC™ cartridges

-

Compatible cartridges



Plastic Cartridge
310mL

	mm	inch
a	215.0	8.46
b	Ø 50.0	Ø 1.97



Plastic Cartridge
400mL

	mm	inch
a	250.0	9.84
b	Ø 50.0	Ø 1.97

Cardboard cartridges should not be used with the AirFlow 2 Cartridge.

Conversion kits

-

Matching accessories


Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 3 Quart Cartridge

A 1-component pneumatic bead dispenser for US 946mL cartridges.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: AirFlow 3 Quart Cartridge 946mL


Product advantages

- Floating plunger system
- Built-in silencer (less than 70dB)
- Variable speed regulator
- Glass reinforced nylon handle
- 6.8bar (100psi) regulator
- Built-in air hose
- Piston driven rod action
- Warranty up to 2 years*

Customer benefits

- Minimizes waste of material
- Lowers the noise level
- For precise control, smooth material flow
- Ergonomically designed for comfort
- Fitted as standard - others are available
- For safety
- Greater control of material flow
- Gives you long worry free performance

Applications



Product by range




*effective: July 2018

The **COX AirFlow 3 Quart Cartridge** is part of a range of pneumatic dispensers. Designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight: 1.8kg / 3.9lbs
- Frame Length: 355mm / 14in
- Maximum Thrust: 1.5kN
- Maximum Pneumatic Pressure: 6.8bar (100psi)
- Handle Material: Glass Filled Nylon
- Barrel Material: Anodized Aluminum
- Frame Material: Epoxy Coated Steel
- Tool Component Approvals: CE, REACH
- Cartridge Capacity: 946mL (32oz)
- Standard Color: Grey/Blue
- Customized versions on demand

Dimensions



Part number:

Quart Cartridge

Article number:

63002 for US

Packaging:

1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges



Quart Cartridge
946mL

	mm	inch
a	320	12.6
b	Ø 67.0	Ø 2.64

Conversion kits

Matching accessories


Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 3 Sachet

A 1-component pneumatic bead dispenser for 310/400/600mL sachets.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: AirFlow 3 Sachet 310mL

Product advantages

- Floating plunger system
- Built-in silencer (less than 70dB)
- Variable speed regulator
- Glass reinforced nylon handle
- 6.8bar (100psi) regulator
- Built-in air hose
- Warranty up to 2 years*


Customer benefits

- Minimizes waste of material
- Lowers the noise level
- For precise control, smooth material flow
- Ergonomically designed for comfort
- Fitted as standard - others are available
- For safety
- Gives you long worry free performance

Applications



Product by range



*effective: July 2018


The **COX AirFlow 3 Sachet** is part of a range of pneumatic dispensers. Designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight: 0.78-0.82kg / 1.7-1.8lbs
 - Barrel Length: 297-436mm / 11.7-17.2in
 - Maximum Thrust: 1.5kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Glass Filled Nylon
 - Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Standard Colour: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Sachet 310	251 /9.9	297 /11.7	69 /2.7	297 /11.7
Sachet 400	251 /9.9	329 /12.9	69 /2.7	329 /12.9
Sachet 600	251 /9.9	436 /17.2	69 /2.7	436 /17.2



Part number:	Article number:	Packaging:
Sachet 310	SA1301 (63006-300 for US)	1 per Box
Sachet 400	SA1401 (63006-400 for US)	1 per Box
Sachet 600	SA1601 (63006-600 for US)	1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges and sachets

Sachet 310mL		Sachet 400mL		Sachet 600mL	
mm	inch	mm	inch	mm	inch
a	220.0	8.66	a	258.0	10.16
b	Ø 50.0	Ø 1.97	b	Ø 50.0	Ø 1.97

Sachet 310mL		Sachet 400mL		Sachet 600mL	
mm	inch	mm	inch	mm	inch
a	220.0	8.66	a	335.0	13.19
b	Ø 50.0	Ø 1.97	b	Ø 50.0	Ø 1.97

Conversion kits

Matching accessories


Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 3 Compact Combi

A 1-component pneumatic bead dispenser for 310mL cartridges and 310/400/600mL sachets.



Regulators

- **Standard: 6.8bar (100psi)**
- Options available:



Model shown: AirFlow 3 Compact Combi 600mL

Product advantages

- Floating plunger system
- Built-in silencer (less than 70dB)
- Variable speed regulator
- Glass reinforced nylon handle
- 6.8bar (100psi) regulator
- Built-in air hose
- Warranty up to 2 years*

Customer benefits

- Minimizes waste of material
- Lowers the noise level
- For precise control, smooth material flow
- Ergonomically designed for comfort
- Fitted as standard - others are available
- For safety
- Gives you long worry free performance

Applications



Bonding

Sealing

Product by range




*effective: July 2018

The **COX AirFlow 3 Compact Combi** is part of a range of pneumatic dispensers. Designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight: 0.99kg / 2.2lbs
- Barrel Length: 464mm / 18.27in
- Maximum Thrust: 1.5kN
- Maximum Pneumatic Pressure: 6.8bar (100psi)
- Handle Material: Glass Filled Nylon
- Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
- Cartridge Capacity: 310mL (10.5oz)
- Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
- Standard Color: Black/Grey
- Nozzle Dimension: ø38mm / 1.5in
- Customized versions on demand

Dimensions



Part number:

Compact Combi

Article number:

SC1700 (63003 for US)

Packaging:

1 per Box

Matching MIXPAC™ cartridges



Peeler Cartridge
310 mL

Compatible cartridges and sachets

Plastic Cartridge 310mL		Sachet 310mL		Plastic Cartridge 400mL		Sachet 400mL		Sachet 600mL		Red Cap * 150mL 1:1 and 10:1		Black Cap * 150mL 1:1 and 10:1	
a	b	a	b	a	b	a	b	a	b	a	b	a	b
mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
215.0	8.46	220.0	8.66	250.0	9.84	258.0	10.16	335.0	13.19	118.5	4.67	117.0	4.61
Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 50.0	Ø 1.97	Ø 49.3	Ø 1.94	Ø 50.6	Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories


Nozzles - on page 90-95.



COX™ 1-Component Dispenser

AirFlow™ 3 Bulk

A 1-component pneumatic bead dispenser for 1300mL bulk material.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: AirFlow 3 Bulk 1300mL

Product advantages

- Built-in silencer (less than 70dB)
- Variable speed regulator
- Glass reinforced nylon handle
- 6.8bar (100psi) regulator
- Built-in air hose
- Piston driven rod action
- Warranty up to 2 years*

Customer benefits

- Lowers the noise level
- For precise control, smooth material flow
- Ergonomically designed for comfort
- Fitted as standard - others are available
- For safety
- Greater control of material flow
- Gives you long worry free performance

Applications



Product by range




*effective: July 2018

The **COX AirFlow 3 Bulk** is part of a range of pneumatic dispensers. Designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight: 0.86kg / 1.9lbs
- Barrel Length: 448mm / 17.64in
- Maximum Thrust: 2.1kN
- Maximum Pneumatic Pressure: 6.8bar (100psi)
- Handle Material: Glass Filled Nylon
- Barrel Material: Powder Coated Aluminum
- Bulk Material Feed: 1300mL (44oz)
- Tool Component Approvals: CE, REACH
- Standard Color: Black/Grey
- Nozzle Dimension: ø38.5mm / 1.52in
- Customized versions on demand

Dimensions



Part number:

Bulk 1300

Article number:

AU250U

Packaging:

1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges

Conversion kits

Matching accessories


Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

AirFlow™ 3 HP Combi

A 1-component pneumatic bead dispenser for 310/400mL cartridges and 310/400/600mL sachets.



Regulators

- **Standard: 6.8bar (100psi)**
- Options available:



Model shown: AirFlow 3 HP Combi 310mL

Product advantages

- Variable speed regulator
- Built-in silencer (less than 70dB)
- Rod driven plunger
- Fitted as standard with a 6.8bar (100psi) regulator
- Warranty up to 2 years*

Customer benefits

- For precise control, smooth material flow
- Lowers the noise level
- Prevents cartridges ballooning
- Easy adjustment between bead and spray
- Gives you long worry free performance

Applications



Bonding

Sealing

Product by range



*effective: July 2018


The **COX AirFlow 3 HP Combi** is part of a range of pneumatic dispensers. Designed for use with low to high viscosity sealants and adhesives.

Specifications

- Weight: 1.73-1.83kg / 3.8-4.0lbs
 - Barrel Length: 210-347mm / 8.3-13.6in
 - Maximum Thrust: 2.5kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Glass Filled Nylon
 - Barrel Material: Anodized Aluminum
- Tool Component Approvals: CE, REACH
 - Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
 - Standard Color: Black/Grey
 - Nozzle Dimension: ø38mm / 1.5in
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Combi HP 310	276 /10.9	549 /21.6	82 /3.2	210 /8.3
Combi HP 400	276 /10.9	625 /24.6	82 /3.2	248 /9.8
Combi HP 600	285 /11.2	831 /32.7	82 /3.2	347 /13.6



Part number:	Article number:	Packaging:
Combi HP 310	SC2301 (63004-300HP for US)	1 per Box
Combi HP 400	SC2401	1 per Box
Combi HP 600	SC2601 (63004-600HP for US)	1 per Box

Matching MIXPAC™ cartridges



Compatible cartridges and sachets

Plastic Cartridge 310mL	Sachet 310mL	Plastic Cartridge 400mL	Sachet 400mL	Sachet 600mL	Red Cap * 150mL 1:1 and 10:1	Black Cap * 150mL 1:1 and 10:1
mm inch	mm inch	mm inch	mm inch	mm inch	mm inch	mm inch
a 215.0 8.46	a 220.0 8.66	a 250.0 9.84	a 258.0 10.16	a 335.0 13.19	a 118.5 4.67	a 117.0 4.61
b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 50.0 Ø 1.97	b Ø 49.3 Ø 1.94	b Ø 50.6 Ø 1.99

*needs additional plunger

Conversion kits

-

Matching accessories

Nozzles - on pages 90-95.



COX™ 1-Component Dispenser

JetFlow™ 3 Cartridge

A 1-component pneumatic bead and spray dispenser for 310mL cartridges.



Model shown: JetFlow 3 Cartridge 310mL

Product advantages

- Glass reinforced nylon handle
- Variable speed regulator
- Fitted as standard with a 6.8bar (100psi) regulator
- Built-in silencer (less than 70dB)
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- For precise control, smooth material flow
- Easy adjustment between bead and spray
- Lowers the noise level
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range




*effective: July 2018

The **COX JetFlow 3 Cartridge** is part of a range of pneumatic dispensers. Designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight: 1.22kg / 2.7lbs
- Barrel Length: 346.8mm / 13.7in
- Maximum Thrust: 1.45kN
- Maximum Pneumatic Pressure: 6.8bar (100psi)
- Handle Material: Glass Filled Nylon
- Barrel Material: Aluminum
- Tool Component Approvals: CE, REACH
- Cartridge Capacity: 310mL (10.5oz)
- Standard Color: Black/Grey
- Customized versions on demand

Dimensions



Part number:

Cartridge 310

Article number:

SG1301 (63007-300C for US)

Packaging:

1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges



Plastic Cartridge
310mL

	mm	inch
a	215.0	8.46
b	Ø 50.0	Ø 1.97

Conversion kits

Matching accessories


Spray nozzles – 3 variants on pages 90-95.



COX™ 1-Component Dispenser

JetFlow™ 3 Sachet

A 1-component pneumatic bead and spray dispenser for 310/400/600mL sachets.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ●

Model shown: JetFlow 3 Sachet 600mL

Product advantages

- Glass reinforced nylon handle
- Variable speed regulator
- Fitted as standard with a 6.8bar (100psi) regulator
- Built-in silencer (less than 70dB)
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- For precise control, smooth material flow
- Easy adjustment between bead and spray
- Lowers the noise level
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range



*effective: July 2018


The **COX JetFlow 3 Sachet** is part of a range of pneumatic dispensers. Designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight: 1.24-1.47kg / 2.7-3.2lbs
 - Barrel Length: 347-445mm / 13.7-17.5in
 - Maximum Thrust: 1.45kN
 - Maximum Pneumatic Pressure: 6.8bar (100psi)
 - Handle Material: Glass Filled Nylon
- Barrel Material: Aluminum barrel
 - Tool Component Approvals: CE, REACH
 - Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz) , 600mL (20.3oz)
 - Standard Color: Black/Grey
 - Customized versions on demand

Dimensions (mm/in)

product	height (h)	length (l)	depth (d)	barrel (b)
Sachet 310	276 /10.6	347 /13.7	83 /3.3	347 /13.7
Sachet 600	276 /10.6	445 /17.5	83 /3.3	445 /17.5



Part number:	Article number:	Packaging:
Sachet 310	SG1302 (63007-300S for US)	1 per Box
Sachet 600	SG1601 (63007-600S for US)	1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges and sachets

A technical drawing of a 310mL sachet. It is a vertical, elongated oval shape with rounded ends. Dimension 'a' is indicated by a vertical line on the right side, representing the height. Dimension 'b' is indicated by a horizontal line at the bottom, representing the width.

Sachet
310mL

	mm	inch
a	220.0	8.66
b	Ø 50.0	Ø 1.97

A technical drawing of a 400mL sachet. It is a vertical, elongated oval shape with rounded ends, similar to the 310mL version but taller. Dimension 'a' is indicated by a vertical line on the right side, representing the height. Dimension 'b' is indicated by a horizontal line at the bottom, representing the width.

Sachet
400mL

	mm	inch
a	258.0	10.16
b	Ø 50.0	Ø 1.97

A technical drawing of a 600mL sachet. It is a vertical, elongated oval shape with rounded ends, the tallest of the three. Dimension 'a' is indicated by a vertical line on the right side, representing the height. Dimension 'b' is indicated by a horizontal line at the bottom, representing the width.

Sachet
600mL

	mm	inch
a	335.0	13.19
b	Ø 50.0	Ø 1.97

Conversion kits


Matching accessories
Spray nozzles – 3 variants on page 90-95.



COX™ 1-Component Dispenser

JetFlow™ 3 Compact Combi

A 1-component pneumatic bead and spray dispenser for 310mL cartridges and 310/400/600mL sachets.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: JetFlow 3 Compact Combi 600mL

Product advantages

- Glass reinforced nylon handle
- Variable speed regulator
- Fitted as standard with a 6.8bar (100psi) regulator
- Built-in silencer (less than 70dB)
- Warranty up to 2 years*

Customer benefits

- Ergonomically designed for comfort
- For precise control, smooth material flow
- Easy adjustment between bead and spray
- Lowers the noise level
- Gives you long worry free performance

Applications




Bonding



Sealing

Product by range




*effective: July 2018

The **COX JetFlow 3 Compact Combi** is part of a range of pneumatic dispensers. Designed for use with low to medium viscosity sealants and adhesives.

Specifications

- Weight: 1.76kg / 3.9lbs
- Barrel Length: 535.8mm / 21in
- Maximum Thrust: 1.45kN
- Maximum Pneumatic Pressure: 6.8bar (100psi)
- Handle Material: Glass Filled Nylon
- Barrel Material: Aluminum
- Tool Component Approvals: CE, REACH
- Cartridge Capacity: 310mL (10.5oz), 400mL (13.5oz)
- Sachet Capacity: 310mL (10.5oz), 400mL (13.5oz), 600mL (20.3oz)
- Standard Color: Black/Grey
- Customized versions on demand

Dimensions



Part number:
Compact Combi

Article number:
SG1801

Packaging:
1 per Box

Matching MIXPAC™ cartridges

Compatible cartridges and sachets

Plastic Cartridge 310mL		Sachet 310mL		Sachet 400mL		Sachet 600mL	
a	b	a	b	a	b	a	b
mm	inch	mm	inch	mm	inch	mm	inch
a	215.0	a	220.0	a	258.0	a	335.0
b	Ø 50.0	b	Ø 50.0	b	Ø 50.0	b	Ø 50.0
	8.46		8.66		10.16		13.19
	Ø 1.97		Ø 1.97		Ø 1.97		Ø 1.97

Conversion kits


Matching accessories
Spray nozzles – 3 variants on page 90-95.



COX™ 1-Component Dispenser

UltraPoint™ Air

A unique dispenser developed for specialist masonry repairs or high-volume applications of 800mL bulk material.



Regulators

- **Standard: 6.8bar (100psi)** ●
- Options available:
 - 3.4bar (50psi) ●
 - 5.2bar (75psi) ●
 - 8.5bar (125psi) ○

Model shown: UltraPoint Air 800mL

Product advantages

- Easily replaceable barrel and washer
- Choice of nozzles for pointing and grouting
- 6.8bar (100psi) regulator
- Return air feature
- Warranty up to 2 years*

Customer benefits

- Greater efficiency neater, cleaner with less waste
- Mortar mixing paddle and two nozzles supplied
- Fitted as standard - others are available
- Plunger rods are automatically ready reloading
- Gives you long worry free performance

Applications



Gap Filling

Product by range




*effective: July 2018

The **COX UltraPoint Air** is designed to simplify and speed the dispensing of mortars and tile grouts quickly, efficiently and cleanly.

Specifications

- Weight: 0.99kg / 2.2lbs
- Frame Length: 358mm / 18.27in
- Maximum Thrust: 1.45kN
- Maximum Pneumatic Pressure: 6.8bar (100psi)
- Handle Material: Aluminum
- Frame Material: Epoxy Coated Steel
- Barrel Material: Anodized Aluminum
- Bulk Material Feed: 800mL (35.2oz)
- Tool Component Approvals: CE, REACH
- Standard Color: Black/Blue
- Customized versions on demand

Dimensions



Part number:

Bulk 800mL

Article number:

AF9500R

Packaging:

1 per Box

Matching MIXPAC™ cartridges

Other matching cartridges

Conversion kits











Matching accessories

Grouting/pointing nozzle, dispenser tube on pages 90-95.

COX™ Dispenser Accessories















Make the most of your dispenser with the following range of COX accessories.

	Name/Description:	Part Number:	Compatible with:
Nozzles			
	Twisty Nozzle Rotates 360° and is suitable for all dispensers manual, pneumatic and battery. Fits onto a standard cartridge thread and can be used in combination with the nozzle extension (sold separately).	2N1215 7N1820 (pack 10)	All COX dispensers
	Nozzle Extension For those particularly tight and hard to reach spaces. Fits onto a standard cartridge thread and can be used in combination with the twisty nozzle (sold separately).	2N1216 7N1830 (pack 10)	All COX dispensers
	Orange Nozzle Plastic clip-on nozzle that can be cut to size to produce a 3mm to 13mm bead, has no graduation markings, and is fitted directly under the front cap.	2N1037	All COX sachet and combi dispensers
	Yellow Cone Nozzle Plastic clip-on sachet/bulk nozzle that can be cut to size to produce a 3-13mm bead, has no graduation markings and is fitted directly under the front cap.	2N1006	All COX sachet, bulk and combi dispensers
	White Cone Nozzle Plastic clip-on sachet nozzle that can be cut to size to produce a 3-13mm bead and has no graduation markings. For use with all sachet and combi dispensers and is fitted directly under the front cap.	2N1007	All COX sachet, bulk and combi dispensers
	Grey Grouting Nozzle Replacement plastic grouting nozzle.	2N1042	UltraPoint
	Black Pointing Nozzle Replacement plastic pointing nozzle.	2N1030	UltraPoint
	Black Injection Nozzle Plastic threaded nozzle has a barbed stem and accepts 1/4" ID plastic tube. Typically used for crack injection applications and has no graduation markings. Plastic nozzle holder and 'O' ring required (7N2007 - sold separately).	2N1005	PowerFlow
	6mm / 1/4" White Nozzle Plastic threaded nozzle that produces a 6mm bead and has no graduation markings. Plastic nozzle holder and 'O' ring required (7N2007 - sold separately).	2N1002	All COX ø50mm barrel sachet, bulk and combi dispensers
	Grey Cut-off Nozzle Plastic threaded nozzle can be cut to size to produce a 3-13mm bead and has no graduation markings. Plastic nozzle holder and 'O' ring required (7N2007 - sold separately).	2N1001	PowerFlow

COX™ Dispenser Accessories











Make the most of your dispenser with the following range of COX accessories.

	Name/Description:	Part Number:	Compatible with:
	9mm / 3/8" Blue Nozzle Plastic threaded nozzle produces a 9mm bead and has no graduation markings. Plastic nozzle holder and 'O' ring required (7N2007 - sold separately).	2N1003	PowerFlow
	13mm/1/2" Red Nozzle Plastic threaded nozzle produces a 13mm bead and has no graduation markings. Plastic nozzle holder and 'O' ring required (7N2007 - sold separately).	2N1004	PowerFlow
	Outer Cartridge Spray Nozzle	2M2588	Jetflow 3
	Inner Plastic Cartridge Spray Nozzle	2M2653	JetFlow 3
	Inner Plastic Cartridge Nozzle	2M2674	JetFlow 3
	Inner Sachet Spray Nozzle	2M2620	JetFlow 3
	Inner Aluminum Cartridge Spray Nozzle	2M2604	JetFlow 3
Plungers			
	Steel "Tin Hat" Plunger 40mm	3P1006	All manual 1-component cartridge dispensers
	Split Sachet Plunger The three slits ensure more flexibility in the barrel	2P1021	All sachets
	Sachet Plunger Extension / Domed Plunger For extruding sachet better	2P1033	All sachets
	Green Plastic 'G2' Plunger Best used in pairs to create better seal (sold separately)	2P1003	Bulk and fishbait
	Leather Plunger Assembly For sachets and bulk application without nozzle holder; chemical and solvent resistant.	7XP013	All sachets and bulk

COX™ Dispenser Accessories











Make the most of your dispenser with the following range of COX accessories.

	Name/Description:	Part Number:	Compatible with:
General accessories			
	Bayonet Cap Metal cap complete with nozzle holder and leather seal, accommodates COX threaded nozzles	7C1026	UltraFlow Bulk
	Pointing & Grouting Dispenser Tube Replacement plastic tube	2B4001	UltraPoint
	COX Spanner Metal 13mm open ended spanner and key, to loosen or tighten the COX blue plastic barrel screw and also the 8mm plunger rod nuts.	7X1004	All COX dispensers
	Plastic Two Start Cap Spare black plastic front cap. To use with clip-on nozzles for sachet and bulk. Screw-in nozzles can be used in conjunction with a nozzle holder and 'O' ring (7N2007 - sold separately).	2C1801	Most ø50mm barrelled dispensers with two start thread
	COX Ladder Hook Kit Black plastic ladder hook (incl. fixing) that allows you to hang the dispenser onto a ladder or the tool belt.	7X1021	PowerFlow UltraFlow UltraPoint
	Plastic Manifold - with non-return valve Connection for two individual plastic cartridges (same material or 2-component systems). The cartridges are screwed onto the manifold and the material is then dispensed through a nozzle.	7N2003	2-component COX dispensers - CBM / CBA (check product pages for information)
	Plastic Manifold - without non-return valve Connection for two individual plastic cartridges (same material or 2-component systems). The cartridges are screwed on to the manifold and the material is then dispensed through a nozzle.	7N2002	2-component COX dispensers - CBM / CBA (check product pages for information)
	Nozzle Adaptor (BSP to knuckle thread) Black plastic nozzle adaptor to be used in conjunction with a nozzle holder for sachet dispensing. Standard shop bought (cartridge) nozzles fit onto the front thread.	2N1210	All COX cartridge dispensers
	MK1 Nozzle Holder & Viton 'O' Ring Black plastic nozzle holder with rubber 'O' Ring to be used in conjunction with threaded COX nozzles for sachet use. Fits into the black plastic front cap.	7N2007	All COX sachet dispensers
	Static Mixer Mixers thread directly on manifold of the dispenser - static mixer extension also available (3475-EXT)	3475-16 (16 Element) 3475-20 (20 Element) 3475-23 (23 Element)	Only for CBA-600S

COX™ Dispenser Accessories











Make the most of your dispenser with the following range of COX accessories.

	Name/Description:	Part Number:	Compatible with:
	Turbine Mixer Epoxy coated steel mixer provides fast and efficient mixing, as material spins across horizontal plate and is propelled through battlements where it is dispersed.	3M1201 (blue - US only) 7M1001 (orange)	UltraPoint
Battery dispenser accessories			
	Spreader Head 190mm disposable spreader tube head with 2" cap and nozzle	7XS111	All standard ø50mm barrelled battery and pneumatic dispensers
	Spreader Head 190mm 300mm 400mm	Bracket / Tube 3XS062 / 4XS001 3XS064 / 4XS002 3XS070 / 4XS004	ElectraFlow Plus FloorFix
	Universal Battery Charger 10.8V and 18V options available	7E1652 (10.8V) 83002-L (10.8V) for US 7E1602 (18V) 83002 (18V) for US	EasiPower Plus ElectraFlow Plus
	Charger Cable UK, US and EU plug options available	2E1465 (UK) 2E1477 (US) 2E1478 (EU)	EasiPower Plus ElectraFlow Plus
	Lithium-ion Battery Lithium-ion battery, 10.8V and 18V (1.5 and 3.0Ah) options available	7E1651 (10.8V) 83001-L (10.8V) for US 7E1601 (18V /1.5Ah) 83001 (10.8V) for US 7E1603 (18V 3.0Ah)	EasiPower Plus ElectraFlow Plus
	Robust Protective Case Robust protective case	4XC008 (10.8V) 4XC009 (18V)	EasiPower Plus ElectraFlow Plus
Pneumatic dispenser accessories			
	Spray Kit This kit bypasses some of the compressed air from the front of the dispenser into the spray nozzle. Suitable for low viscosity materials like silicones/sprayable ceramics.	7XS0605	All COX 2-component high power pneumatic dispensers with large diameter barrel

COX™ Dispenser Accessories



Make the most of your dispenser with the following range of COX accessories.

	Name/Description:	Part Number:	Compatible with:
	Standard Nut and Tail Airline/Hose Connector option	7A2000	JetFlow AirFlow
	European Quick Release Airline/Hose Connector option	7A2001	JetFlow AirFlow
	American Quick Release Airline/Hose Connector option	7A2002	JetFlow AirFlow
Other products			
	Caulk Warmer Junior These bags are designed to pre-heat up to 4 (310ml) cartridges and sachets (30-60 minutes), to lower the material viscosity mainly in cooler climates, prior to dispensing.	2XC060 (EU) 2XC070 (UK)	310ml cartridges/sachets
	Caulk Warmer Large These bags are designed to pre-heat up to 12 (310ml) cartridges and sachets (30-60 minutes), to lower the material viscosity mainly in cooler climates, prior to dispensing.	2XC030 (EU) 2XC040 (UK)	310ml cartridges/sachets
	SoloClamp 100 (4") A unique single handed operation product with 1.7kN clamping force, available in 100mm and the choice of acetal or metal jaws. Blue color (grey for US).	Metal: AT1104 Acetal: AT1112	-
	SoloClamp 150 (6") A unique single handed operation product with 1.7kN clamping force, available in 150mm and the choice of acetal or metal jaws. Blue color (grey for US).	Metal: AT2037 Acetal: AT2033	-
	EasiClamp Has 1.5kN of clamping force and can also be converted into a spreader. Available in 300/450/600/900mm, with an ergonomically shaped handle, acetal claws and high quality steel bars.	AT3300 (300) AT3450 (450) AT3600 (600) AT3900 (900)	-
	PowerClamp Has 2.5kN of clamping force and can also be converted into a spreader. Available in 300/450/600/900mm.	AT4300 (300) AT4450 (450) AT4600 (600) AT4900 (900)	-
	UltraClamp A heavy duty tool with 3.5kN clamping force, ideal for workshop environments. Available in 150/300/450/600mm.	AT5150 (150) AT5300 (300) AT5450 (450) AT5600 (600)	-

COX™ Dispenser Accessories

Make the most of your dispenser with the following range of COX accessories.

	Name/Description:	Part Number:	Compatible with:
A circular metal plate with a central hole and a pull rod attached to the top.	2 Gallon Follower Plate (2" Opening) For use with bulk loading dispensers. Works with straight and tapered pails. Pull rod included.	7F1015	All bulk dispensers
A circular metal plate with a central hole and a pull rod attached to the top.	5 Gallon Follower Plate (2" Opening) For use with bulk loading dispensers. Works with straight and tapered pails. Pull rod included.	7F1016	All bulk dispensers
A circular metal plate with a central hole and a pull rod attached to the top.	Follower Plate (152mm/6.9in)	7F1001	All bulk dispensers (UK only)
A curved metal handle with a T-shaped end.	Aluminum Pull Handle	7H1001 (US only)	All COX dispensers with Interchangeable T-Rod
A blue plastic handle with a T-shaped end.	Support Handle	7XS041	All 2" barrel dispensers

Dispensing Expertise

Headquarters / Europe

Sulzer Mixpac Ltd
Ruetistrasse 7
9469 Haag, Switzerland
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
8181 Coleman Road
Haslett, MI 48840, USA
phone +1 800 822 8114
ct_sms_ame_sales_hs@sulzer.com
www.cox-applicators.com

UK and Ireland

Sulzer Mixpac (UK) Ltd.
1 Tealgate, Charnham Park, Hungerford
Berkshire, RG17 0YT, United Kingdom
phone: +44 (0)1488 647 800
coxsales@sulzer.com
www.coxdispensers.com

Asia Pacific

Sulzer Mixpac China
68 Bei Dou Lu, Minhang
Shanghai 200245, China
phone +86 21 6430 68 68
mixpac@sulzer.com
www.sulzer.com